

# Table of Contents

iii	Australian Centre for Geomechanics
iv	The University of Reading
v	Committees
vi	Technical Reviewers
viii	Preface
ix	Conference Sponsors

## KEYNOTE ADDRESSES

---

3	The importance of failure in mine closures <i>F von Bismarck, Joint Governmental Agency for Coal Mine Rehabilitation, Germany</i>
13	Ecological research needed to manage risk and meet rising standards in mining rehabilitation <i>B Miller, Botanic Gardens and Parks Authority, Kings Park, Australia</i>
17	The eye of the beholder — utility and beauty in mine closure <i>BE Harvey, The University of Queensland, Australia</i>
25	What lesson for mine closure we can learn from unassisted soil and ecosystem development <i>J Frouz, Charles University, Czech Republic</i>
35	Extended ecosystem function analysis — the next step for mine rehabilitation appraisals <i>RN Humphries, Blakemere Consultants Ltd, UK</i>
47	Store and release cover water balance for the south waste rock dump at Century mine <i>TK Rohde, EMM Consulting Pty Limited, Australia; PL Defferrard, M Lord, MMG Limited, Australia</i>

## LANDFORM DESIGN AND REHABILITATION

---

63	Hydrological function of berms within a waste landform design <i>B Roddy, E Howard, Landloch Pty Ltd, Australia</i>
75	Waste dump steep slope construction learnings <i>WT Moore, Newmont Asia Pacific, Australia; P Garneau, O’Kane Consultants, Australia</i>
89	Slope stability in landform design <i>R Knutsson, Luleå University of Technology, Sweden; A Bjelkevik, Tailings Consultants Scandinavia AB, Sweden; S Knutsson, Luleå University of Technology, Sweden</i>
99	Integrating the use of natural analogues and erosion modelling in landform design for closure <i>I Kelder, CG Waygood, Jacobs, Australia; T Willis, Emergent Ecology, Australia</i>
107	Cover system performance — using numerical modelling to optimise monitoring systems <i>P Garneau, K Albano, O’Kane Consultants, Australia; WT Moore, Newmont Asia Pacific, Australia</i>
121	The importance of revisiting landform design after key decision-making events <i>K Knight, AECOM Australia Pty Ltd, Australia</i>
131	Managing the waste rock storage design — can we build a waste rock dump that works? <i>R Barritt, P Scott, I Taylor, O’Kane Consultants, Australia</i>
141	Waste landform cover system and geometrical design — integration with waste placement and landform optimisation approach <i>A Kemp, I Taylor, O’Kane Consultants, Australia; M O’Kane, O’Kane Consultants, Canada</i>

## SOILS FOR MINE CLOSURE

---

- 151 Genomic studies of biological soil crusts — successional dynamics for the rehabilitation of mine tailings facilities  
*CA Ortiz, M Wilkens, AP Muñoz, D Fernández, F Muñoz, Universidad de Santiago de Chile, Chile*
- 161 Appropriate thickness and medium of covering soil on land reclamation in a coal mining subsidence area  
*B Wen, J-W Zhou, China University of Geosciences (Wuhan), China; L-M Zhang, Geological Environmental Monitoring Institute of Inner Mongolia, China*
- 173 Selected properties of the incipient soils developing on coal mining wastes, Bowen Basin, Australia  
*AV Spain, The University of Western Australia, Australia; I Hollingsworth, Horizon Environmental Soil Survey & Evaluation, Australia*
- 187 Ecological and soil development of 19th Century iron and coal mine wastes at Bryn Defaid, South Wales  
*A Dickinson, Cranfield University, UK; RN Humphries, Celtic Energy Limited, UK; M Pawlett, Cranfield University, UK; M Tibbett, University of Reading, UK*

## STAKEHOLDERS AND COMMUNITIES

---

- 199 Town resource cluster analysis — understanding and quantifying your operation's social and economic linkages at local, regional and state levels  
*S Coakes, K Lamb, Umwelt Australia, Australia*
- 213 Social closure planning: scoping, developing and implementing — a case study  
*EF Heymann, PR Botha, Anglo American, South Africa; CD Grant, Anglo American, Australia; M January, Anglo American, South Africa*
- 229 Attractive nuisances and wicked solutions  
*JV Parshley, SRK Consulting (U.S.) Inc., USA; CS MacCallum, SRK Consulting (UK) Limited, UK*
- 241 Abandoned mines — environmental, social and economic challenges  
*K Bennett, MWH Australia Pty Ltd, Australia*

## DECOMMISSIONING OF TAILINGS DAMS

---

- 255 Towards closure — considerations in tailings storage design  
*CS Hogg, Coffey Geotechnics Pty Ltd, Australia*
- 263 Capping of a surface slurried coal tailings storage facility  
*DJ Williams, The University of Queensland, Australia; G King, New Acland Operations, Australia*
- 277 Centrifuge modelling of drawdown seepage in tailings storage facilities  
*CTS Beckett, AB Fourie, The University of Western Australia, Australia*
- 291 Leading practice store and release cover trials for a tailings storage facility at Century mine  
*PL Defferrard, MMG Limited, Australia; TK Rohde, EMM Consulting Pty Limited, Australia; M Lord, MMG Limited, Australia*

## CASE STUDIES: LESSONS LEARNED

---

- 307 Lessons learned from closure of mine facilities  
*CL Strachan, MM Davis, MWH Americas Inc., USA*
- 313 Pitfalls of gold mine sites in care and maintenance  
*AD Ashby, EJB van Etten, MA Lund, Edith Cowan University, Australia*
- 325 Key mine closure lessons still to be learned  
*CD McCullough, Golder Associates Pty Ltd and Edith Cowan University, Australia*

- 339 The use of satellite-based remote sensing methods to assess the changes in the environmental impacts from the Marcopper disaster on Marinduque Island, Philippines  
*CK Dacre, MDA Information Systems LLC, USA; KG Mercer, Australian Centre for Geomechanics, The University of Western Australia, Australia; FGF Smith, MDA Information Systems LLC, USA; MA McParland, R Morin, MDA Geospatial Services Inc., Canada*

## LIABILITIES AND LEGACY MANAGEMENT

---

- 355 A comparative study of regulatory approaches to mine closure with a special emphasis on the current situation in the former Soviet Union  
*Z Faizuldayeva, SRK Consulting, Kazakhstan*
- 369 When is it time to say enough is enough for historical mine rehabilitation and closure? A Pilbara case study  
*SJ Finucane, Bioscope Environmental Consulting Pty Ltd, Australia; B Bastow, Integrate Sustainability Pty Ltd, Australia*
- 381 Dealing with mine closure planning liabilities, opportunities and lessons learned  
*MB Dagva, QMC LLC, Mongolia; Ts Davaatseren, Kh Vladimir, Erdenet Mining Corporation, Mongolia*
- 389 Engineering and reclamation of the Holden Legacy Mine — advancing the state-of-practice for mine closure  
*DJ Cline, Rio Tinto Legacy Management, USA; PE Crouse, FM DeDen, MWH Americas Inc., USA; TR Zimmer, Rio Tinto Legacy Management, USA*
- 405 Designer waste landform modelling and design — Rum Jungle Mine  
*I Taylor, A Kemp, O’Kane Consultants, Australia; M O’Kane, O’Kane Consultants, Canada; S Walker, M Barteaux, O’Kane Consultants, Australia; L Laurencont, Department of Mines and Energy, Australia*
- 419 Post-closure funding initiatives to facilitate custodial transfer and relinquishment of mining tenure  
*S Mackenzie, Mine Earth Pty Ltd, Australia*

## WATER MANAGEMENT

---

- 425 Passive treatment of acid mine drainage at Vryheid Coronation Colliery, South Africa  
*W Pulles, Golder Associates Africa, South Africa; HM Lodewijks, Anglo American, South Africa; A Toerien, Golder Associates Africa, South Africa; R Muhlbauer, Anglo American, South Africa; JA van Niekerk, A Richardt, Golder Associates Africa, South Africa*
- 439 Two-dimensional reactive transport modelling for waste management — aquifer injection case study  
*M Landers, B Usher, D Faulkner, Klohn Crippen Berger Ltd., Australia*
- 453 Watercourse diversions relinquishment in Queensland — a risk-based approach to monitoring  
*A Hallgath, Engeny, Australia; BA Pearson, Hydrobiology, Australia*
- 467 Adaptive, integrated water management designs and probabilistic modelling for mine waste facility closure and restoration  
*H Garrick, Golder Associates (UK) Ltd, UK; F Stewart, Dundee Precious Metals Krumovgrad, Bulgaria; E Hayes, M Goode, G Digges La Touche, Golder Associates (UK) Ltd, UK*
- 481 Surface water assessments — critical for effective landform design  
*E Smedley, S Mackenzie, S Gregory, Mine Earth Pty Ltd, Australia*
- 495 Establishing closure targets for discharge to temporary waters — a review  
*PL Whittle, AM Leggett, Hydrobiology, Australia*

## ECOSYSTEM RECONSTRUCTION AND VEGETATION

---

- 507 In situ bioremediation of South African coal discard dumps  
*AK Cowan, Rhodes University, South Africa; HM Lodewijks, Anglo American, South Africa; LM Sekhohola, OG Edeki, Rhodes University, South Africa*

- 517 Tree spacing effects on erosion of soil covered waste rock slopes  
*A Remaury, M Guittonny-Larchevêque, Université du Québec en Abitibi-Témiscamingue, Canada; J Rickson, Cranfield University, UK*
- 531 Soil bioengineering and biomonitoring of vegetation and after-care at Wismut's backfilled and covered Lichtenberg open pit and its surrounding area, Ronneburg, Germany  
*U Barnekow, M Köhler, Wismut GmbH, Germany*
- 545 Function and performance targets in ecological rehabilitation  
*RJ Loch, Landloch Pty Ltd, Australia*
- 555 Alleviating arsenic toxicity to plants in a simulated cover system with phosphate placement in topsoil and subsoil  
*HM Anawar, P Damon, Z Rengel, The University of Western Australia, Australia; DA Jasper, MWH Australia Pty Ltd, Australia; M Tibbett, University of Reading, UK*
- 567 The effect of cover system depth on native plant water relations in semi-arid Western Australia  
*SC Lamoureux, The University of Western Australia and O'Kane Consultants, Australia; EJ Veneklaas, P Poot, The University of Western Australia, Australia; M O'Kane, O'Kane Consultants, Canada*

## PLANNING

---

- 581 Developing Anglo American's integrated closure planning system requires people, process and technology working together  
*CD Grant, Anglo American, Australia; HWB Lacy, MWH Australia Pty Ltd, Australia*
- 595 Mine site rehabilitation — are we reinventing the wrong wheel?  
*DJ Williams, The University of Queensland, Australia*
- 609 The Challenger gold story — do it once, do it well  
*P Waters, K Bennett, B Wingfield, MWH Australia Pty Ltd, Australia*
- 619 Progressive rehabilitation — Martabe Gold Mine as a case study  
*S Pearce, O'Kane Consultants, UK; M Orr, K Grohs, G-Resources, Indonesia; J Pearce, O'Kane Consultants, Australia*
- 635 A common-sense approach to mine closure design in the remote Western Australian interior  
*A Wright, MBS Environmental, Australia*
- 649 A risk-based approach using process flow diagrams for operational waste rock classification — case studies  
*S Pearce, O'Kane Consultants, UK; J Warner, G-Resources, Indonesia; E Sinclair, Bathurst Resources Limited, New Zealand; J Pearce, O'Kane Consultants, Australia; W Olds, P Weber, O'Kane Consultants, New Zealand*

## GEOCHEMISTRY AND MINE WASTE

---

- 663 Acid and metalliferous drainage contaminant load prediction for operational or legacy mines at closure  
*J Pearce, O'Kane Consultants, Australia; P Weber, O'Kane Consultants, New Zealand; S Pearce, O'Kane Consultants, UK; P Scott, O'Kane Consultants, Australia*
- 677 Mine waste characterisation — complexities with assessing the physical properties of rock  
*S Mackenzie, N de Kever, E Smedley, S Gregory, Mine Earth Pty Ltd, Australia*
- 691 Waste material placement options during construction and closure risk reduction — quantifying the how, the why and the how much  
*S Pearce, O'Kane Consultants, UK; S Lehane, J Pearce, O'Kane Consultants, Australia*
- 707 Mine closure experiences — Bolivia, South America  
*A Cárdenas, Universidad Mayor de San Andrés, Bolivia*
- 715 Author Index